

# Responsible ML for Real-World Search and Recommender Systems

A Multistakeholder Perspective

**Ashudeep Singh**

Applied Scientist, Pinterest


mail@ashudeepsingh.com

# About Me


- Applied Scientist at Pinterest
- Past:
  - PhD in Computer Science from Cornell University
  - Visiting researcher, intern at Google Brain, Microsoft Research, Facebook.
  - Bachelors in Computer Science and Engineering from IIT Kanpur in India.

## Research Interests:

- Recommender systems and Search
- Machine learning from human interactions
- Fairness and Responsible Machine Learning



# Personalized rankings



# Entertainment

The image shows a screenshot of the YouTube homepage. At the top, there is a search bar and the YouTube logo. The left sidebar contains navigation options: Home, Trending, Subscriptions, LIBRARY (History, Watch Later, Liked Videos, Purchases, LOL Cats, Classic Cartoons!), and SUBSCRIPTIONS (Alyska, Laura Kampf, CameoProject, NancyPi, BakeMistake, Ari Fitz, Made By Google). The main content area is divided into two sections: Recommended and Trending. The Recommended section features a grid of video thumbnails with titles, channel names, and view counts. The Trending section shows a horizontal row of video thumbnails.

**Recommended**

- Should you buy Yoshi's Crafted World?? | EARLY IMPRESSIONS**  
Barbara • 201K views • 1 week ago
- I made Kitchentiles from Trash // DIY Plywood Tiles**  
Laura Kampf • 162K views • 12 months ago
- A Thin and Lightweight Laptop with a Distinctive Style | Pixelbook**  
Made by Google • 66K views • 2 weeks ago
- Poland | Europe's Top Undiscovered Travel Destination?**  
vagabrothers • 56K views • 2 weeks ago
- Lady, Jester & Doppelganger Boss Fights / Devil May Cry 3: Dante's...**  
Alyska • 24K views • 1 month ago
- Behind-the-Scenes with Annie Leibovitz and Winona LaDuke, En...**  
Made by Google • 112K views • 1 week ago
- #CreatorsforChange**  
Evelyn From The Internets • 44K views • 1 year ago
- More Accents, World Cup & Calling a Fan - Joanna Responds**  
Joanna Hausmann • 143K views • 1 year ago

**Trending**

- WE FORGOT THE
- INDONESIA
- BABY BARN ANIMALS



# Social media



9:41

Kieron Dotson and Zack John liked

**Martha Craig** @craig\_love ·12h

UXR/UX: You can only bring one item to a remote island to assist your research of native use of tools and usability. What do you bring? #TellMeAboutYou

28 5 21

Show this thread

Zack John liked

**Maximmilian** @maxjacobson ·3h

Y'all ready for this next post?

46 18 363

Kieron Dotson Retweeted

**Tabitha Potter** @mis\_potter ·14h

Kobe's passing is really sticking w/ me in a way I didn't expect.

He was an icon, the kind of person who wouldn't die this way. My wife compared it to Princess Di's accident.

# Shopping

Etsy winter clothing  x Q Sign in

Holiday Sales Event Jewelry & Accessories Clothing & Shoes Home & Living Wedding & Party Toys & Entertainment Art & Collectibles Craft Supplies Gifts & Gift Cards

ToastYarn ★★★★★ (57)  
**Custom Color Chunky Knit Sweater/ Wool Pullover 16 Colours/Modern Oversized Jumper/Customize Colour/Merino Sustainable Knitwear/ Luxury knit**  
\$262.22  
FREE shipping  
[Shop this item](#)

Estimated Arrival Any time  564,226 results, with Ads

Custom Color Chunky Knit Sweater/ Wool Pullo...  
★★★★★ (57)  
\$262.22 FREE shipping  
Toastyarn  
Popular now  
[More like this](#)

Wool Cable Knit Fingerless Gloves Women/ Ca...  
★★★★★ (208) Star Seller  
\$27.99  
Omute  
Popular now  
[More like this](#)

Tierra Cropped Sweatshirt - Streetwear - 2 Piec...  
\$62.00 FREE shipping  
ShopSuperCasual  
Popular now  
[More like this](#)

Bella Canvas 3001 White Shirt Winter Mockup ...  
★★★★★ (2,355)  
\$4.00  
BlissfulMocks  
 [More like this](#)

Handprinted Organic Cotton/Bamboo Stevie D...  
★★★★★ (3,792)  
\$212.00 ~~\$266.00~~ (20% off)  
Thiefandbandit  
FREE shipping  
[More like this](#)

Christmas Shirts, Merry and Bright Shirt, Christ...  
\$9.63 ~~\$10.70~~ (10% off)  
PrintThatMini  
FREE shipping  
[More like this](#)

Boho Palazzo Pant Cotton Kantha Palazzo Pant ...  
★★★★★ (1,020)  
\$47.50 FREE shipping  
Coloursofspirit  
Only 1 left — order soon  
[More like this](#)

Snowflake winter women's Spandex Leggings  
\$37.05  
Britmshop  
Popular now  
[More like this](#)

# Employment

The screenshot shows the LinkedIn search interface. At the top, there is a search bar with 'java ruby' entered. Navigation icons for Home, My Network, Jobs, and Messaging are visible. Below the search bar, filters are set to 'People', 'United States' (with 1 result), 'Connections', 'Current company', and 'All filters'. The results section shows 'About 119,000 results' and lists five profiles, each with a 'Message' button.

Search results for 'java ruby' in the United States:

- Veena Bandi** • 3rd+  
Web Developer at Cerner | Front End Engineer | Full Stack Engineer | Javascript, JQuery, ...  
Kansas City Metropolitan Area  
Current: Associate Senior Software Engineer at Cerner Corporation - ...styling and framework decision.  
Used **Ruby** on Rails...
- Ramiro T.** • 3rd+  
Full Stack Web Engineer | Java & Javascript  
Greater Chicago Area  
Summary: ►Technologies: **Java**, Spring Boot, JavaScript, AngularJS, Angular, Vue, Webpack, HTML5, CSS3, RDMBS...
- Steven Parsons** • 3rd+  
Software Engineer at JPMorgan Chase & Co.  
Seattle, WA  
Past: Full Stack Software Engineer at Veda Environmental - ...for the **Ruby** on Rails Backend.  
Contributed...
- Mariano Simone** • 3rd+  
Software Engineer at Stripe  
Denver, CO  
Past: Software Developer at FDV Solutions - I developed applications in various technologies (JEE, .NET, **Ruby** on Rails), as well as Desktop...
- Abimbola Adeyemi** • 3rd+  
Java Developer at Deloitte  
United States  
Skills: Programming Skills • C/C++ • Python • Matlab • **Java** script • HTML • **Ruby**

# Rental Properties

**airbnb** Srinagar | 6-11 Nov | Add guests

Your search | Rooms | Lakefront | Houseboats | Amazing views | Skiing | Bed & breakfasts | Countryside | Lake | Filters | Display total before t

616 places in Srinagar

- Rare find**  
**Room in Srinagar** ★ 4.91 (70)  
Stay with Shehzad  
The Greystone. Listing 2 - Suites.  
₹6,547 night · ₹37,356 total
- Rare find**  
**Cabin in Srinagar** ★ 4.95 (20)  
An exquisite cottage with a loft...  
1 queen bed  
₹6,000 night · ₹34,235 total
- Home in Srinagar** ★ 4.45 (38)  
"SHANGRAFF" MOUNTAIN HOU...  
4 beds  
₹12,500 night · ₹62,500 total
- Rare find**  
**Chalet in Srinagar** ★ 5.0 (5)  
"Lake & Mountain view" Water...  
2 beds  
₹3,250 night · ₹18,544 total
- Rare find**  
**Home in Srinagar** ★ 4.96 (27)  
Khwab-gah 1.0  
2 double beds  
₹4,100 night · ₹23,965 total
- Superhost**  
**Villa in Srinagar** ★ 4.87 (23)  
Lakeview 3Bedroom Villa with...  
3 beds  
₹10,515 night · ₹59,997 total

Map showing property locations in Srinagar with price markers: ₹6,000, ₹4,100, ₹12,500, ₹3,250.

Keyboard shortcuts | Map data ©2023 | 2 km | Terms of U

What recommender system do you use the most?



# A common approach

Predict relevance  $r(i, j)$  of item  $j$  to user  $i$

For user  $i$ , show items in descending order of  $r(i, j)$

This has been the subject of debate for decades (e.g., [Robertson, 1977](#))

But in practice, it's still the dominant approach

# Key questions


1. How do we measure “relevance”?
  - a. Is it single-dimensional? Independent across items?
  - b. How do we get good data on it?
2. If we had a good measure of relevance, how should we use it?
  - a. What constraints are there?
  - b. Is descending-order ranking sufficient?
  - c. How do we practically make such platforms work?




# User-Centric Optimization

- Serve the user most relevant items that provide value
- How do we measure relevance and value?
- Proxy: **user engagement**
  - Is this the right proxy?


# Practical Recommender Systems: Overview



# Practical Recommender Systems: Overview




# Practical Recommender Systems: Overview



Which of the two steps requires:

- (a) Lower latency (higher throughput)?
- (b) Higher precision?
- (c) Higher recall?


# Practical Recommender Systems: Overview



Low latency, High recall.

e.g., Nearest Neighbor  
search on embeddings,  
Collaborative Filtering.

# Practical Recommender Systems: Overview



Low latency, High recall.

e.g., Nearest Neighbor search on embeddings, Collaborative Filtering.

High precision, can afford more computation per item.

e.g. Learning-to-rank.

# System level view

- Example algorithms at the two stages:
  - Retrieval: e.g., Representation learning → Nearest neighbor search on vector embeddings
  - Ranking: e.g., Learning-to-rank
- Both learnt from user feedback



# Stage 1: Candidate Retrieval

- Collaborative filtering

# Collaborative Filtering

- Collaborative filtering uses similarities between users and items simultaneously to provide recommendations, i.e.,
  - recommend an item to user A based on the interests of a “similar” user B.
- Common method: Matrix Factorization of the user-item rating matrix.

Given a dataset of user  
item ratings:  $Y_{u,i}$ ,

Find a user and item  
embedding matrix ( $U$  and  
 $V$ ), so that the  $U^T V$  is as  
close to the ratings matrix.

	 Harry Potter	 The Triplets of Belleville	 Shrek	 The Dark Knight Rises	 Memento
	✓		✓	✓	
		✓			✓
	✓	✓	✓		
			?	✓	✓

# Collaborative Filtering

- Collaborative filtering uses similarities between users and items simultaneously to provide recommendations, i.e.,
  - recommend an item to user A based on the interests of a “similar” user B.
- Common method: Matrix Factorization of the user-item rating matrix.

Given a dataset of user item ratings:  $Y_{u,i}$ ,

Find a user and item embedding matrix ( $U$  and  $V$ ), so that the  $U^T V$  is as close to the ratings matrix.


	 Harry Potter	 The Triplets of Belleville	 Shrek	 The Dark Knight Rises	 Memento
	✓		✓	✓	
		✓			✓
	✓	✓	✓		
			?	✓	✓

$\approx$

		$V$					
	1	.1	.9	-1	1	1	-.9
	-1	0	-.2	-.8	-1	.9	1
	.2	-1	.88	-1.08	0.9	1.09	-0.8
	.1	1	0.38	0.6	1.2	-0.7	-1.18
			-0.11	-0.9	-0.9	1.0	0.91

# Collaborative Filtering

An illustration




# Stage 1: Candidate Retrieval

- Collaborative filtering
  - Output of the training process: a vector representation of all users and all items.
  - Serving time: Find the top item vectors that match the user vector.

# Stage 1: Candidate Retrieval

- Collaborative filtering
  - Output of the training process: a vector representation of all users and all items.
  - Serving time: Find the top item vectors that match the user vector.
- More recently: several other techniques use neural networks, latent models, etc. to learn this vector representation to make retrieval fast and easy


# Power of Representation learning




$$\vec{\text{man}} - \vec{\text{woman}} \approx \vec{\text{king}} - \vec{\text{queen}}$$



# Bias in ~~Power of~~ Representation learning



$$\vec{\text{man}} - \vec{\text{woman}} \approx \vec{\text{king}} - \vec{\text{queen}}$$



$$\vec{\text{man}} - \vec{\text{woman}} \approx \vec{\text{computer programmer}} - \vec{\text{homemaker}}$$

# Google image search

until a few years ago....

**BBC**

Sign in

Home

News

Sport

Reel

Worklife

Travel

## NEWS

Home | War in Ukraine | Climate | Video | World | Asia | UK | Business | Tech | Science

Newsbeat

### Google Image search for CEO has Barbie as first female result

© 16 April 2015



We had to scroll down the page to before this picture of Barbie appears


# Google image search

until a few years ago....



## Google Image search for CEO has Barbie as first female result

© 16 April 2015



We had to scroll down the page to before this picture of Barbie appears

Discussion point: What are the possible causes?



Percentage of women in the top 100 Google image search results for telemarketers: 64%  
Percentage of U.S. telemarketers who are women: 50%




Google image search results for "construction worker"



Google image search results for "female construction worker"

Source: <https://www.washington.edu/news/2022/02/16/googles-ceo-image-search-gender-bias-hasnt-really-been-fixed/>

# Practical Recommender Systems: Overview



For the next section, we will focus solely on ranking problems...

# Probability Ranking Principle (PRP)

## Robertson (1977):

- "if a reference retrieval system's response to each request is a ranking of the documents in the collection in order of **decreasing probability of relevance** to the user who submitted the request,
- where the probabilities are **estimated as accurately as possible** on the basis of whatever data have been made available to the system for this purpose,
- the **overall effectiveness** of the system to its user **will be the best** that is obtainable on the basis of those data."

## THE PROBABILITY RANKING PRINCIPLE IN IR

S. E. ROBERTSON

*School of Library, Archive, and Information Studies,  
University College London*







The principle that, for optimal retrieval, documents should be ranked in order of the probability of relevance or usefulness has been brought into question by Cooper. It is shown that the principle can be justified under certain assumptions, but that in cases where these assumptions do not hold, the principle is not valid. The major problem appears to lie in the way the principle considers each document independently of the rest. The nature of the information on the basis of which the system decides whether or not to retrieve the documents determines whether the document-by-document approach is valid.



# PRP in a two-sided system

- In two-sided markets, PRP might be inadequate since it does not explicitly consider the **item-side utility**.
- Examples:
  - Job Candidate Ranking
    - Amplifies existing societal biases.

Job Candidate Ranking Example

Position	$x$		P(interview)
1		$A_1$	50.99%
2		$A_2$	50.98%
3		$A_3$	50.97%
...	...		...
101		$B_1$	49.99%
102		$B_2$	49.98%
103		$B_3$	49.97%
...	...		...

High Exposure







Position Bias

Low Exposure

# PRP in a two-sided system

- In two-sided markets, PRP might be inadequate since it does not explicitly consider the **item-side utility**.
- Examples:
  - Job Candidate Ranking
    - Amplifies existing societal biases.
  - Music Recommendation
    - Winner-takes-all!

Music Recommendation Example

Position	$x$	$A_x$	$E[\text{Rating}]$
1		$A_1$	4.99
2		$A_2$	4.98
3		$A_3$	4.97
...	...	...	...
11		$A_{11}$	4.89
12		$A_{12}$	4.88
13		$A_{13}$	4.87
...	...	...	...

High Exposure

Position Bias

Low Exposure



# PRP in a two-sided system

- In two-sided markets, PRP might be inadequate since it does not explicitly consider the **item-side utility**.
- Examples:
  - Job Candidate Ranking
    - Amplifies existing societal biases.
  - Music Recommendation
    - Winner-takes-all!
  - News Ranking
    - Polarization of the platform.

News Ranking Example

Position	$x$		$P(\text{read})$
1	<b>R</b>	$R_1$	50.99%
2	<b>R</b>	$R_2$	50.98%
3	<b>R</b>	$R_3$	50.97%
...	...	...	...
101	<b>T</b>	$T_1$	49.99%
102	<b>T</b>	$T_2$	49.98%
103	<b>T</b>	$T_3$	49.97%
...	...	...	...

High Exposure

Position Bias

Low Exposure

In online platforms,

Exposure  $\rightarrow$  Opportunity

Hence,

Fairness  $\rightarrow$  Fair Allocation of Exposure

# Position-based Model of Exposure

Exposure  $e_k$  is the probability a user observes the item at position  $k$ .


Exposure of a group of items (e.g., seller, artist, etc.)

$$Exp(G|y) = \sum_{y(k) \in G} e_k$$

Other user-click models: Cascading click model (CCM), etc. [Chuklin et al. 2015]

How to estimate?

- Eye tracking [Joachims et al. 2007]
- Intervention studies [Joachims et al. 2017]
- Intervention harvesting [Agarwal et al. 2019]



# Fairness of Exposure

Goal: Enable the explicit statement of how exposure is allocated relative to the value or merit of the items in the group.

For example: Exposure for each individual/group should be proportional to the relevance of the group.

*[Singh & Joachims 2018, Biega et al. 2018]*

# Equal Expected Exposure

For tasks with graded relevance (e.g., movie ratings — 1 to 5, binary relevance — 0, 1), define **equal expected exposure** as:

*No item has less or more expected exposure as compared to other items in the same relevance grade.*

*[Diaz et al 2019]*

# Disparate Exposure & Impact

*Disparate exposure:* Allocate **exposure proportional to relevance** per group

Exposure  $\propto$  Relevance

$$\frac{Exp(G_0|x)}{Exp(G_1|x)} = \frac{Rel(G_0|x)}{Rel(G_1|x)}$$

*Disparate impact:* Allocate **expected clickthrough rate proportional to relevance** per group

$$\frac{\sum_{d \in G_0} Exp(d|x) Rel(d|x)}{\sum_{d \in G_1} Exp(d|x) Rel(d|x)} = \frac{Rel(G_0|x)}{Rel(G_1|x)}$$


# Fairness of Exposure

Objective: Given relevance scores, find a ranking that optimizes user utility while satisfying fairness of exposure constraints, e.g., exposure proportional to average relevance.

Items	$\hat{h}(x)$	Exposure@k
A <sub>1</sub>	0.82	e <sub>1</sub>
A <sub>2</sub>	0.81	e <sub>2</sub>
A <sub>3</sub>	0.80	e <sub>3</sub>
B <sub>1</sub>	0.79	e <sub>4</sub>
B <sub>2</sub>	0.78	e <sub>5</sub>
B <sub>3</sub>	0.77	e <sub>6</sub>

Problem:

- Exposure drops off at a different rate than relevance.
- Rankings are discrete combinatorial objects.
  - Exponential solution space!



[Singh & Joachims, KDD 2018]

# Key Idea 1: Stochastic Ranking Policies

- Ranking Policy

$\pi(y|x)$  is the conditional distribution over rankings of items under query  $x$ .

Define Utility

$$U(\pi|x) = \sum_y U(y|x) \cdot \pi(y|x)$$

Define Exposure

$$Exp(d|\pi) = \sum_k e_k \cdot P(rank(d) = k | \pi)$$

$y_1$	$y_2$	$y_3$	$y_4$
$A_1$	$A_1$	$A_1$	$B_1$
$A_2$	$B_1$	$A_2$	$A_1$
$A_3$	$A_2$	$B_1$	$B_2$
$B_1$	$B_2$	$A_3$	$A_2$
$B_2$	$A_3$	$B_2$	$B_3$
$B_3$	$B_3$	$B_3$	$A_3$
0.40	0.40	0.16	0.04



# Key Idea 2: Doubly Stochastic Matrices

Represent a Stochastic Ranking  $\pi$  as a Marginal Rank Distribution  $\mathbb{P}$ .

$$\begin{array}{c} \text{Rank} \\ \text{Item} \end{array} \begin{pmatrix} \cdot & \cdot & \cdot \\ \cdot & \mathbb{P}_{i,k} & \cdot \\ \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot \end{pmatrix}$$


$\mathbb{P}_{i,k}$  = Probability of item  $i$  at position  $k$ .

Utility (e.g., DCG, Avg Precision) and Exposure can be expressed as a Linear function of the matrix.

$$\text{For example, } \text{DCG}(\mathbb{P}) = \sum_i \mu_i \sum_k \frac{\mathbb{P}_{i,k}}{\log(1+k)}.$$

**Optimization problem of finding  $\mathbb{P}$**  that optimizes utility  $U$  and satisfies fairness constraints  $\rightarrow$  Linear Program


# Key Idea 2: Doubly Stochastic Matrices



$\mathbb{P}_{i,k}$  = Probability of item  $i$  at position  $k$ .


Items	$\hat{h}(x)$
A <sub>1</sub>	0.82
A <sub>2</sub>	0.81
A <sub>3</sub>	0.80
B <sub>1</sub>	0.79
B <sub>2</sub>	0.78
B <sub>3</sub>	0.77

Doubly stochastic matrix representing a single ranking



# Example: Exposure Proportional to Relevance

Items	$\hat{h}(x)$	Exposure@k
A <sub>1</sub>	0.82	e <sub>1</sub>
A <sub>2</sub>	0.81	e <sub>2</sub>
A <sub>3</sub>	0.80	e <sub>3</sub>
B <sub>1</sub>	0.79	e <sub>4</sub>
B <sub>2</sub>	0.78	e <sub>5</sub>
B <sub>3</sub>	0.77	e <sub>6</sub>




Without Fairness  
Constraint


Problem setup: Maximize Utility (e.g., DCG)  
while fulfilling the fairness constraint  
(exposure proportional to relevance).

# Example: Exposure Proportional to Relevance

Items	$\hat{h}(x)$	Exposure@k
A <sub>1</sub>	0.82	e <sub>1</sub>
A <sub>2</sub>	0.81	e <sub>2</sub>
A <sub>3</sub>	0.80	e <sub>3</sub>
B <sub>1</sub>	0.79	e <sub>4</sub>
B <sub>2</sub>	0.78	e <sub>5</sub>
B <sub>3</sub>	0.77	e <sub>6</sub>



Without Fairness Constraint



$\mathbb{P}_{\text{fair}}$ : Proportional Exposure


Problem setup: Maximize Utility (e.g., DCG) while fulfilling the fairness constraint (exposure proportional to relevance).

Solution: Ranking Policy


[Singh & Joachims, KDD 2018]

# Example: Exposure Proportional to Relevance

Items	$\hat{h}(x)$	Exposure@k
A <sub>1</sub>	0.82	e <sub>1</sub>
A <sub>2</sub>	0.81	e <sub>2</sub>
A <sub>3</sub>	0.80	e <sub>3</sub>
B <sub>1</sub>	0.79	e <sub>4</sub>
B <sub>2</sub>	0.78	e <sub>5</sub>
B <sub>3</sub>	0.77	e <sub>6</sub>



Without Fairness Constraint



$\mathbb{P}_{\text{fair}}$ : Proportional Exposure

## Solution: Ranking Policy

What if these relevance predictions are biased?

How to incorporate these constraints into a learning to rank framework?

[Singh & Joachims, KDD 2018]

# Learning-to-Rank with fairness constraints

For a query  $x$ , rank a candidate set  $\mathcal{S}_x = \{d_1, d_2, d_3, \dots\}$  of items

- $d_i$  represented by features  $\psi(d_i|x)$ , and
- $d_i$  has a merit score (e.g., relevance—whether a user would click it or not).

Ranking Policy  $\pi$  maps  $\mathcal{S}_x$  to a ranking.

# Learning-to-Rank with fairness constraints

For a query  $x$ , rank a candidate set  $\mathcal{S}_x = \{d_1, d_2, d_3, \dots\}$  of items

- $d_i$  represented by features  $\psi(d_i|x)$ , and
- $d_i$  has a merit score (e.g., relevance—whether a user would click it or not).

Ranking Policy  $\pi$  maps  $\mathcal{S}_x$  to a ranking.


Learning objective: Find policy  $\pi$  that maximizes expected utility  $U$  with small disparity  $D$

$$\pi^* = \operatorname{argmax}_{\pi} \mathbb{E}_x[U(\pi|x)] \text{ s.t. } \mathbb{E}_x[D(\pi|x)] \leq \delta.$$

Empirical Risk Minimization with Lagrange multiplier:


$$\pi^* = \operatorname{argmax}_{\pi} \frac{1}{n} \sum_{i=1}^n U(\pi|x_i) - \lambda \cdot D(\pi|x_i)$$

# Stochastic Ranking Policy ( $\pi$ )







# Stochastic Ranking Policy ( $\pi$ )



# Dynamic Learning-to-Rank


How to train a ranking policy that **adapts** the ranking to user interactions?



[Morik\*, Singh\*, Hong & Joachims. SIGIR 2020]

# Dynamic Learning-to-Rank

## Problem 1: Selection bias due to position



Position Bias

- Click count is not a consistent estimator of relevance.
  - Lower positions get lower attention.
  - Less attention means fewer clicks.
- Click feedback is **biased** by:
  - the deployed ranking function
  - user's position bias

**Rich-get-richer dynamic:** What starts at the bottom has little opportunity to rise in the ranking.

## Problem 2: Exposure disparity between groups



- Ranking solely by relevance may cause some groups to get most of the exposure on the platform.
  - For the news homepage example, this may make the platform seem biased.

# Summary so far..

- Representation learning → Embeddings for candidate retrieval
  - Bias in embeddings → bias in candidate retrieval
- Learning-to-Rank: given candidates, how do we rank them?
  - Item-side fairness: fairness for the ranked items and stakeholders
    - Fairness in learning-to-rank algorithms
    - Dynamic learning-to-rank
- Next: Practical considerations for real-world systems

# Practical Recommender Systems



Fairness under composition



Two-stage recommender systems



Repeated Training

# Practical Recommender Systems

## 📦 Fairness under composition

Even if two predictors are fair, the composition of their predictions can still be unfair.

[Fairness under Composition, *Dwork and Ilvento, ITCS 2019*]

Example:  $E[\text{rating}] = P(\text{click}) \times E[\text{rating}|\text{click}] = pCTR \times pRating$ .

Component	Author demographics			
	non-white	non-white	white	white
$pCTR$	0.1	0.4	0.2	0.3
$pRating$	0.4	0.1	0.3	0.2
$pCTR \times pRating$	0.04	0.04	0.06	0.06



Ranking by  $pCTR$  or  $pRating$  leads to  $\langle nw, w, w, nw \rangle$ , but ranking by their product leads to  $\langle w, w, nw, nw \rangle$ .


[Wang et al. WSDM 2021]

# Practical Recommender Systems

- ↳ Fairness under composition
- ↳ Two-stage recommender systems

Two stage Recommender systems:

- Candidate generation  $\rightarrow$  Ranking ( $\rightarrow$  User)



Lack of diversity at candidate generation may lead to unfair results overall

[Wang & Joachims. 2022]

# Practical Recommender Systems


- ↳ Fairness under composition
- ↳ Two-stage recommender systems
- ↳ **Repeated Training**

Models undergo repeated training (daily, weekly, monthly).

Retraining is done using data that is confounded by algorithmic recommendations from a previously deployed system.

Consequences:

- “The recommendation feedback loop causes **homogenization of user behavior**”
- “Users experience **losses in utility** due to homogenization effects; these losses are **distributed unequally**”
- “The feedback loop **amplifies the impact of recommendation systems** on the distribution of item consumption”



Homogeneity of content recommended increases with repeated training.



# Challenges and Open Questions

- Open Questions:
  - How do users and item providers experience and perceive “unfairness”?
  - Maintaining legality:
    - How can we ensure group fairness without violating constraints around model inputs (e.g. without using protected attributes)?
    - Neutrality, monopolization, etc.
- What did we not cover but is also important?
  - Privacy
  - User safety and trust
  - Explainability and transparency

# Thank you

**Search and Recommender systems are the arbiters of exposure in modern two-sided online platforms.**

**For the long-term well-being, ranking algorithms should be able to consider utility and fairness for both users as well as creators and producers.**

- Work done in collaboration with colleagues from Cornell, Google, Pinterest.
- A larger format presentation available at: <https://fair-recs-tutorial.github.io/neurips-2022-tutorial/>
- Feel free to reach out with questions at [mail@ashudeepsingh.com](mailto:mail@ashudeepsingh.com)